






PLAY
























































PLAY

					
7W 40° CRI 80 max.660lm 2700/3000/4000K *EMERGENCY	13W 40° CRI 80 max.1330lm 2700/3000/4000K *EMERGENCY	CRI93 13W 40° CRI 93 940lm 2700K	WARM DIMMING 13W 40° CRI 90 930lm 2000-3000K		71-5454-60-00 Adaptador / Adapter / Adaptateur / Adapter / Adattatore / Adaptador / Адаптер / Przystawka GU10 LED
					PC

*EMERGENCY: see page 112

					
71-3283-00-00  	71-3284-00-00  	71-5208-00-00  	71-5166-60-00 Panel de abeja / Honeycomb / Panneau en nid d'abeille / Wabentafel / Pannelo a nido d'ape / Favo de abelha / Панель в виде сот / Plaster pszczeli	71-5167-00-00 Difusor eliptico / Elliptical Diffuser / Diffuseur elliptique / Elliptischer Diffuser / Diffusore ellittico / Difusor eliptico / Эллиптический рассеиватель / Dyfuzor eliptyczny	71-4754-60-00 Confort visuel/ Visual comfort/ Confort visuel/ Sichtkomfort/ Confort visivo/ Conforto visual/ Визуальный комфорт/ Komfort wizualny
					PC  

AL			
			
 	 	 	
71-2910-14-00 71-2910-AF-00  	71-2911-14-00 71-2911-AF-00  	71-2912-14-00 71-2912-AF-00  	71-2913-14-00  
			
			
 	  	  	  
71-2914-14-00 71-2914-AF-00  	71-2915-14-00 71-2915-AF-00 71-2915-21-00  	71-5138-14-00 71-5138-AF-00 71-5138-21-00  	71-5137-14-00 71-5137-AF-00 71-5137-21-00  
 	 		



LED CREE CRI80

A**... A	71-4030-14-37	<input type="checkbox"/>	2700K	570lm	7W	-	-		
	71-2909-14-37V1	<input type="checkbox"/>	3000K	620lm					
	71-5158-14-37	<input type="checkbox"/> NEW	4000K	660lm					
	71-3878-14-37	<input type="checkbox"/>	2700K	max. 570lm	max.7W				
	71-3225-14-37	<input type="checkbox"/>	3000K	max. 620lm					
	71-5130-14-37	<input type="checkbox"/> NEW	4000K	max. 660lm					



LED CREE CRI80

A**... A	71-4031-14-37	<input type="checkbox"/>	2700K	1240lm	13W	-	-		
	71-3226-14-37V1	<input type="checkbox"/>	3000K	1330lm					
	71-5159-14-37	<input type="checkbox"/> NEW	4000K						
	71-3881-14-37	<input type="checkbox"/>	2700K	max. 1240lm	max.13W				
	71-3882-14-37	<input type="checkbox"/>	3000K	max.1330lm					
	71-5131-14-37	<input type="checkbox"/> NEW	4000K						

CRI93

71-5256-14-37	<input type="checkbox"/> NEW	2700K	940lm	13W	-	-	
71-5165-14-37	<input type="checkbox"/> NEW			max.13W			



WARM DIMMING
LED SHARP CRI90

A**... A	71-5236-14-37	<input type="checkbox"/> NEW	2000K - 3000K	930lm	13W		-	
----------	---------------	--	---------------	-------	-----	--	---	--

WARM DIMMING
2000 - 3000K

La tecnología LED WARM DIMMING proporciona una curva de regulación equivalente a la de una fuente incandescente. LED WARM-DIMMING technology offers a regulation curve equivalent to the one in an incandescent source.

La technologie LED WARM-DIMMING offre une courbe de réglage équivalente à celle d'une source à incandescence.

Die LED-Technologie „Warm Dimming“ bietet eine Regulierungskurve die zu der von Glühlampen äquivalent ist.

La tecnologia LED WARM DIMMING offre una curva di regolazione equivalente a quella di una fonte incandescente.

A tecnologia LED WARM-DIMMING proporciona uma curva de regulação equivalente à de uma fonte incandescente.

Светодиодная технология WARM-DIMMING (DT) позволяет регулировать яркость свечения, имитируя свет лампы накаливания.

Technologia LED WARM-DIMMING dostarcza krzywej regulacyjnej odpowiadającej tej źródła żarowego.

